

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	46	((("2731834") or ("3076342") or ("3102429") or ("3741016") or ("4341119") or ("4576044") or ("4939941") or ("5054918") or ("5189912") or ("5396436") or ("5827964") or ("6122957") or ("6323942") or ("6396397") or ("6535275") or ("6535281") or ("6244108") or ("6619362") or ("5915274"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 14:25
S2	1	S1 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:46
S3	28	S1 and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:55
S4	2261	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:39
S5	0	S4 and distance information and ballance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:56
S6	1	S4 and distance information and balance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:57
S7	1	S4 and distance information and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:57

EAST Search History

S8	1	S4 and distance information and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:57
S9	17	S4 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:58
S10	4	S4 and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 12:59
S11	32	tire changing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:03
S12	3	S11 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:05
S13	1	S12 and optical image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:04
S14	8	S11 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:05
S15	0	S4 and distance and pixle array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:10

EAST Search History

S16	26	S4 and distance and pixel array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:10
S17	4	S16 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:10
S18	1	2002/0018218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:18
S19	2	("20020018218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/06 13:18
S20	6	S4 and radial runout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:34
S21	68	S4 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:49
S22	4	S21 and communicate same store\$2 same values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:40
S23	1	S4 and presence near3 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:56

EAST Search History

S24	1	S4 and presence near5 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:56
S25	1	S4 and tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 13:56
S26	6	presence near3 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:04
S27	1	S4 and spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:04
S28	480	spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:04
S29	141	S28 and (laser or opical or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:04
S30	74	S29 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:05
S31	6	S30 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:05

EAST Search History

S32	1	S31 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:05
S33	2	S4 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:13
S34	0	S4 and tred depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:13
S35	3	S4 and tread depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:15
S36	1	S4 and imbalance correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:16
S37	1	S4 and imbalance weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:16
S38	13	S4 and imbalance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:16
S39	1	S4 and imbalance near3 correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:16

EAST Search History

S40	1	S4 and imbalance same correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:17
S41	1	S4 and rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:17
S42	4	rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:18
S43	97	rim defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:18
S44	33	S43 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:18
S45	15	S44 and (light or laser or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:19
S46	91	S4 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:25
S47	1	S46 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:25

EAST Search History

S48	5514	wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:25
S49	41	S48 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:25
S50	31	S49 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:26
S51	8	S4 and tire inflation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:48
S52	1	S4 and tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:49
S53	1	tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:49
S54	1	tire bead removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:49
S55	3	tire removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 14:49

EAST Search History

S56	1037	tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:05
S57	13	S56 and wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:07
S58	6	presence near4 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:09
S59	6	presence near7 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:36
S60	32	presence same tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:09
S61	5	S4 and three dimensional data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:37
S62	166	S4 and three dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:38
S63	3	S4 and three dimensional information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:37

EAST Search History

S64	2	S62 and wheel balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:50
S65	0	S4 and location of weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:50
S66	4	S4 and location near3 weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:56
S67	1	S4 and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:56
S68	13	balance and wheel and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:59
S69	1	S68 and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/06 15:59
S70	2	("20040172835").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:34
S71	2261	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/12/09 10:40

EAST Search History

S72	68	S71 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:40
S73	0	S72 and communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:40
S74	93	communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:41
S75	0	communicate near3 store\$2 near3 values and wheel allingment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:41
S76	0	communicate near3 store\$2 near3 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:42
S77	2	communicate near7 store\$2 near7 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2005/12/09 10:42
S78	47	((("2731834") or ("3076342") or ("3102429") or ("3741016") or ("4341119") or ("4576044") or ("4939941") or ("5054918") or ("5189912") or ("5396436") or ("5827964") or ("6122957") or ("6323942") or ("6396397") or ("6535275") or ("6535281") or ("6244108") or ("6619362") or ("5915274"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 13:35

EAST Search History

S79	1	S78 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S80	28	S78 and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S81	2270	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 13:35
S82	0	S81 and distance information and ballance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:37
S83	1	S81 and distance information and balance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S84	1	S81 and distance information and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S85	1	S81 and distance information and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S86	17	S81 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35

EAST Search History

S87	4	S81 and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S88	33	tire changing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S89	3	S88 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S90	1	S89 and optical image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S91	3	S88 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S92	8	S88 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S93	0	S81 and distance and pixle array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S94	26	S81 and distance and pixel array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35

EAST Search History

S95	4	S94 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S96	1	2002/0018218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S97	2	("20020018218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 13:35
S98	7	S81 and radial runout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S99	70	S81 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S10 0	5	S99 and communicate same store\$2 same values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S10 1	1	S81 and presence near3 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S10 2	1	S81 and presence near5 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35

EAST Search History

S10 3	1	S81 and tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S10 4	7	presence near3 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S10 5	1	S81 and spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 14:36
S10 6	513	spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S10 7	152	S106 and (laser or opical or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S10 8	78	S107 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 14:37
S10 9	6	S108 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S11 0	1	S109 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35

EAST Search History

S11 1	6	S108 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S11 2	2	S81 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S11 3	0	S81 and tred depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S11 4	3	S81 and tread depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S11 5	2	S81 and imbalance correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S11 6	2	S81 and imbalance weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S11 7	14	S81 and imbalance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S11 8	2	S81 and imbalance near3 correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35

EAST Search History

S11 9	2	S81 and imbalance same correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S12 0	1	S81 and rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S12 1	4	rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S12 2	97	rim defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S12 3	33	S122 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S12 4	15	S123 and (light or laser or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S12 5	92	S81 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S12 6	2	S125 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35

EAST Search History

S12 7	5611	wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S12 8	43	S127 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S12 9	31	S128 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S13 0	9	S81 and tire inflation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S13 1	1	S81 and tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S13 2	1	tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S13 3	1	tire bead removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S13 4	3	tire removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35

EAST Search History

S13 5	1179	tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S13 6	18	S135 and wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S13 7	7	presence near4 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S13 8	37	presence same tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S13 9	8	presence near7 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S14 0	5	S81 and three dimensional data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S14 1	167	S81 and three dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S14 2	3	S81 and three dimensional information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35

EAST Search History

S14 3	2	S141 and wheel balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S14 4	0	S81 and location of weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S14 5	5	S81 and location near3 weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S14 6	1	S81 and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S14 7	13	balance and wheel and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S14 8	1	S147 and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S14 9	2	("20040172835").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 13:35
S15 0	2270	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 13:35

EAST Search History

S15 1	70	S150 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S15 2	0	S151 and communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S15 3	102	communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S15 4	0	communicate near3 store\$2 near3 values and wheel allingment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S15 5	0	communicate near3 store\$2 near3 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S15 6	2	communicate near7 store\$2 near7 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:35
S15 7	0	S81 and array near2 image and ballance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:38
S15 8	0	S81 and array and ballance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:38

EAST Search History

S15 9	25	S81 and array and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:39
S16 0	12	S81 and camera and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:41
S16 1	278	wheel alignment and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:42
S16 2	22	S161 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 13:42
S16 3	2	("4584469").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/06/08 14:43
S16 4	6	wheel balance and camera and correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2006/06/08 15:03
S16 5	47	((("2731834") or ("3076342") or ("3102429") or ("3741016") or ("4341119") or ("4576044") or ("4939941") or ("5054918") or ("5189912") or ("5396436") or ("5827964") or ("6122957") or ("6323942") or ("6396397") or ("6535275") or ("6535281") or ("6244108") or ("6619362") or ("5915274"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31

EAST Search History

S16 6	1	S165 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S16 7	28	S165 and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S16 8	2300	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
S16 9	0	S168 and distance information and ballance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S17 0	1	S168 and distance information and balance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S17 1	1	S168 and distance information and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S17 2	1	S168 and distance information and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S17 3	17	S168 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S17 4	5	S168 and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S17 5	40	tire changing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S17 6	7	S175 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S17 7	2	S176 and optical image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S17 8	14	S175 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S17 9	0	S168 and distance and pixle array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S18 0	28	S168 and distance and pixel array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S18 1	4	S180 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S18 2	2	2002/0018218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S18 3	2	("20020018218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
S18 4	7	S168 and radial runout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S18 5	77	S168 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S18 6	5	S185 and communicate same store\$2 same values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S18 7	1	S168 and presence near3 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S18 8	1	S168 and presence near5 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S18 9	1	S168 and tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S19 0	9	presence near3 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S19 1	1	S168 and spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S19 2	558	spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S19 3	160	S192 and (laser or opical or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S19 4	79	S193 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S19 5	6	S194 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S19 6	1	S195 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S19 7	2	S168 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S19 8	0	S168 and tred depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S19 9	3	S168 and tread depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S20 0	2	S168 and imbalance correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S20 1	2	S168 and imbalance weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S20 2	14	S168 and imbalance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S20 3	2	S168 and imbalance near3 correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S20 4	2	S168 and imbalance same correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S20 5	1	S168 and rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S20 6	4	rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S20 7	101	rim defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S20 8	35	S207 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S20 9	16	S208 and (light or laser or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S21 0	93	S168 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S21 1	2	S210 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S21 2	5701	wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S21 3	48	S212 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S21 4	32	S213 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S21 5	9	S168 and tire inflation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S21 6	1	S168 and tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S21 7	2	tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S21 8	2	tire bead removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S21 9	3	tire removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S22 0	1330	tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S22 1	20	S220 and wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S22 2	9	presence near4 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S22 3	44	presence same tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S22 4	10	presence near7 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S22 5	7	S168 and three dimensional data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S22 6	182	S168 and three dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S22 7	3	S168 and three dimensional information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S22 8	2	S226 and wheel balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S22 9	0	S168 and location of weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S23 0	5	S168 and location near3 weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S23 1	1	S168 and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S23 2	13	balance and wheel and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S23 3	1	S232 and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S23 4	2	("20040172835").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
S23 5	2300	((356/139.09,155,152.1-152.3,153, 150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
S23 6	77	S235 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S23 7	0	S236 and communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S23 8	116	communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S23 9	0	communicate near3 store\$2 near3 values and wheel allingment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S24 0	0	communicate near3 store\$2 near3 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S24 1	2	communicate near7 store\$2 near7 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S24 2	558	spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S24 3	160	S242 and (laser or opical or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S24 4	79	S243 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S24 5	6	S244 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S24 6	101	rim defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S24 7	2300	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
S24 8	2	S247 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S24 9	2300	((356/139.09,155,152.1-152.3,153,150) or (33/203)).CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
S25 0	77	S249 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S25 1	13	balance and wheel and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S25 2	1	S251 and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S25 3	182	S247 and three dimensional	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S25 4	116	communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S25 5	47	((("2731834") or ("3076342") or ("3102429") or ("3741016") or ("4341119") or ("4576044") or ("4939941") or ("5054918") or ("5189912") or ("5396436") or ("5827964") or ("6122957") or ("6323942") or ("6396397") or ("6535275") or ("6535281") or ("6244108") or ("6619362") or ("5915274"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
S25 6	28	S255 and distance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S25 7	4	rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S25 8	6	S244 and valve stem	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S25 9	2	("20020018218").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
S26 0	0	S247 and array and ballance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S26 1	25	S247 and array and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S26 2	0	S247 and tread depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S26 3	5701	wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S26 4	48	S263 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S26 5	32	S264 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S26 6	3	S247 and tread depth	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S26 7	5	S247 and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S26 8	2	("4584469").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31

EAST Search History

S26 9	1	S247 and tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S27 0	5	S247 and location near3 weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S27 1	2	tire bead removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S27 2	1	S247 and distance information and balance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S27 3	1	S247 and presence near5 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S27 4	17	S247 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S27 5	6	wheel balance and camera and correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S27 6	2	S247 and imbalance weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S27 7	28	S247 and distance and pixel array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S27 8	4	S277 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S27 9	1	S247 and presence near3 tire pressure	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S28 0	0	S247 and distance and pixle array	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S28 1	7	S247 and radial runout	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S28 2	40	tire changing system	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S28 3	7	S282 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S28 4	2	S283 and optical image	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S28 5	2	tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S28 6	1	S247 and location near3 weights near7 indicator	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S28 7	1330	tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S28 8	3	tire removal arm	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S28 9	1	S245 and valve stem location	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S29 0	93	S247 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S29 1	2	S290 and weight placement	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S29 2	3	S247 and three dimensional information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S29 3	2	2002/0018218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S29 4	1	S247 and distance information and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S29 5	2	communicate near7 store\$2 near7 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S29 6	0	S247 and array near2 image and ballance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S29 7	44	presence same tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S29 8	1	S247 and distance information and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S29 9	13	S247 and camera and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S30 0	9	S247 and tire inflation	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S30 1	0	S247 and distance information and ballance and tire changing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S30 2	14	S247 and imbalance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S30 3	10	presence near7 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S30 4	7	S247 and three dimensional data	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S30 5	304	wheel alignment and camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:37
S30 6	24	S305 and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S30 7	2	S247 and imbalance same correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S30 8	9	presence near4 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S309	1	S247 and tire bead removal arms	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S310	2	("20040172835").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/01/04 13:31
S311	77	S247 and memory same store	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S312	35	S246 and wheel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S313	16	S312 and (light or laser or optical)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S314	2	S247 and imbalance near3 correction	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S315	0	communicate near3 store\$2 near3 values and wheel alignment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S316	20	S287 and wheel balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S31 7	0	S247 and location of weights and balance	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S31 8	7	S282 and optical	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S31 9	2	S253 and wheel balancing	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S32 0	1	S247 and rim surface defect	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S32 1	2	S247 and imbalance correction weight	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S32 2	0	communicate near3 store\$2 near3 values and wheel allingment	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S32 3	1	S255 and distance information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S32 4	9	presence near3 tire pressure sensor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31

EAST Search History

S32 5	14	S282 and (optical or laser or light)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S32 6	0	S250 and communicate near3 store\$2 near3 values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S32 7	5	S311 and communicate same store\$2 same values	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S32 8	1	S247 and spoke configuration	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:31
S32 9	20	wheel alignment and camera and image near4 rim	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:44
S33 0	20	wheel alignment and image near4 rim	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:45
S33 1	27	wheel alignment and imag\$4 near7 rim	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/01/04 13:45
S33 2	739	wheel balancer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/21 11:32

EAST Search History

S33 3	252	wheel balancer.ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/21 11:33
S33 4	0	S333 and wheel rim same camera	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/21 11:33
S33 5	82	S333 and wheel rim	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/21 11:35
S33 6	6	S333 and wheel rim same (image\$4 or picture or camera)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/21 11:40
S33 7	4	S333 and wheel rim and (camera or imag\$4 near3 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/21 11:42
S33 8	19	S332 and wheel rim and (camera or imag\$4 near3 sensor)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	NEAR	ON	2007/06/21 11:42